#### ale a de le Salten Suphi

## MISSISSIPPI STATE DEPARTMENT OF HEALTH 1014 JUN 16 PM 12: 5! BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION

**CALENDAR YEAR 2013** 

Harmony Water Association, inc. Public Water Supply Name

0120005 0120016 0120018 0120028

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or ema

email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.	nall, tax oi
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other	r)
Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other	
Date(s) customers were informed: 6 /12/201,4 / / , / /	
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct methods used	ct delivery
Date Mailed/Distributed:/	
CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message	$\supset$
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)	
Name of Newspaper: The Clarke County Tribune	
Date Published: 6 / 12 2014	
CCR was posted in public places. (Attach list of locations)  Date Posted: / /	
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REC	UIRED):
CERTIFICATION  I hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the custom public water system in the form and manner identified above and that I used distribution methods at the SDWA. I further certify that the information included in this CCR is true and correct and is constituted to the public water system officials by the Mississ Department of Health, Bureau of Public Water Supply.  **Total Consumer Confidence Report (CCR) has been distributed to the custom public water in the custom public water system of its public water Supply.  **Total Consumer Confidence Report (CCR) has been distributed to the custom public water is public water system. The confidence Report (CCR) has been distributed to the custom public water system of its public water system	llowed by istent with
Deliver or sand via U.S. Postal Service:  May be faved to:	

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

# Annual Drinking Water Quality Report 2014 AUG -4, AM 9: 32 Harmony Water Association, Inc. July, 2014

CORRECTED COPY # 0120016 - 0120018

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Daniel Dearman at 601-776-2593 or 118 Long Blvd. Quitman. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Monday of every month at 5:00 PM at the Harmony Water Association office, and our annual meeting is held the third Monday of October. You will receive a notice of location and time.

Harmony Water Association routinely monitors for 154 constituents in your drinking water according to federal and state laws. This table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31 2013. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

Maximum Contaminant Level – The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level – The concentration of a contaminant which, if exceeded, triggers water treatment or other requirements which a water system must follow. Treatment Technique (TT)- A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

#### PWS # 120018 Elwood - Lower Wilcox Aquifer

CORRECTED CCR Lower susceptibility to contamination

	TEST RESULTS										
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination			
Inorganic Contaminants											
10. Barium	N	2011*	.010512	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits			
14. Copper	N	2011*	0.1	0	Ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives			

16. Fluoride	N	2011*	.135	0	Ppm	4	4	Erosion of natural deposits: water additive which promotes strong teeth: discharge from fertilizer and aluminum factories
17. Lead	N	2011*	1	0	Ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate(as Nitrogen	N	2013	0.17	No Range	ppm	1	1	Runoff from fertilizer use: leaching from septic tanks, sewage: erosion of natural deposits
20. Nitrite(as Nitrogen)	N	2013	0.18	No Range	Ppm	10	10	Runoff from fertilizer use: leaching from septic tanks, sewage: erosion of natural deposits
Disinfection	By Pro	ducts			<u> </u>	L		
73. TTHM [Total trihalomethanes]	N	2011*	1.29	No Range	Ppb	0	80	By-product of drinking water chlorination
81. HAA5	N	2011*	2.0	No Range	Ppb	0	60	By-product of drinking water chlorination
Chlorine (asCl2)	N	2013	0.50	0.40 to 0.60	Ppm	4	4	Water Additives; used to control microbes
	*Mas4 Das	ent Sample No	C1- D	1 2012		<u></u>	<del></del>	

<sup>\*</sup>Most Recent Sample. No Sample Required 2013

#### PWS # 120016-#2 #3 #4 - Sandy Basin & Hwy 514 Wells ~ Lower Wilcox Aquifer

#### **CORRECTED CCR**

Lower susceptibility to contamination

COMMECI	LD CCI		L	ower susception	ity to contamin	ation					
	TEST RESULTS										
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination			
Inorganic C	Contamin	ants									
10. Barium #2 #3 #4	N	2011* 2011* 2011*	.010377 .0085 .0084	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits			
14. Copper # 4	N	2011*	0.2 0.2 0.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives			
16. Fluoride #2 #3 #4	N	2011* 2011* 2011*	.1 .1 .1	0	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories			
17. Lead #4	N	2011*	2 2 2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits			

19. Nitrate(as Nitrogen	N	2013	0.09	0.06-0.09	Ppm	1	1	Runoff from fertilizer use: leaching from septic tanks, sewage: erosion of natural deposits
20. Nitrite(as Nitrogen)	N	2013	0.11	No Range	Ppm	10	10	Runoff from fertilizer use: leaching from septic tanks, sewage: erosion of natural deposits
<b>Disinfectant</b>	By Pro	duct						
73. TTHM (Total Trihalomethanes)	N	2011*	1.29	No Range	ppb	0	80	By-product of drinking water chlorination
81. HAA5	N	2011*	2.0	No Range	ppb	0	60	By-product of drinking water chlorination
Chlorine (asCl2)	N	2013	0.50	0.30 to 0.60	ppm	4	4	Water Additives; used to control microbes

<sup>\*</sup>Most Recent Sample. No Sample Required 2013

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Harmony Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking water Hotline or at . The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

Some People may be more vulnerable to contaminants in drinking water than the general population. Immuno compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from Safe Drinking Water Hotline (800-426-4791).

We at Harmony Water Association work hard to provide quality water at every tap. We ask that all customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

June, 2014

2014 JUN 16 PM 12: 5!

I - TER SUPPL

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Daniel Dearman at 601-776-2593 or 118 Long Blvd, Quitman. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Monday of every month at 5:00 PM at the Harmony Water Association office, and our annual meeting is held the third Monday of October. You will receive a notice of location and time.

Harmony Water Association routinely monitors for 154 constituents in your drinking water according to federal and state laws. This table shows the results of our monitoring for the period of January 1st to December 31 2013. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

Maximum Contaminant Level – The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal – The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level – The concentration of a contaminant which, if exceeded, triggers water treatment or other requirements which a water system must follow. Treatment Technique (77) – A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

#### PWS # 120018 Elwood - Lower Wilcox Aquifer

	Lower susceptibility to contamination									
				TEST I	RESULTS					
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source Contamination		
Inorganic C	ontamin	ants								
10. Barium	N	2011*	.010512	No Range	Ppm	2	2	Discharge of d wastes; dischar metal refineries erosion of natu deposits		
14. Copper	N	2011*	0.1	0	Ppm	1.3	AL=1.3	Corrosion of h plumbing syste erosion of natu deposits; leach wood preservat		
16. Fluoride	Z	2011*	.135	0	Ppm	4	4	Erosion of natu deposits: water which promotes teeth: discharge fertilizer and al factories		
17. Lead	N	2011*	1	0	Ppb	0	AL=15	Corrosion of he plumbing system erosion of natural deposits		
Disinfection	By Prod	ucts								
73. TTHM [Total trihalomethanes]	N	2011*	1.29	No Range	Ppb	0	80	By-product of d water chlorinati		
81. HAA5	N	2011*	2.0	No Range	Ppb	0	60	By-product of d water chlorinati		
Chlorine (asCl2)	N	2013	0.50	0.40 to 0.60	Ppm	4	4 .	Water Additives to control micro		
	*Most Recen	t Sample, No S	ample Reau	ired 2013			1			

2/05

				TEST R	ESULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Sour Contaminat
Inorganic C	ontamin	ants						F51 1
10. Barium	N	2011*	.01443	No Range	ppm	2	2	Discharge of wastes; disc metal refine erosion of a deposits
14. Copper	N	2011*	0.1	0	ppm	1.3	AL=1.3	Corrosion of plumbing s erosion of deposits; le wood prese
16. Fluoride	N	2011*	0.1	0	ppm	4	4	Erosion of deposits; w which pron teeth; disch fertilizer ar factories
17. Lead	И	2011*	1	0	ppb	0	AL=15	Corrosion plumbing serosion of deposits
Disinfectant	t By Pro	duct						To to
73. TTHM (Total Trihalomethanes)	N	2012*	4	No Range	ppb	0	80	By-produc water chlor
81. HAA5	N	2012*	1.0	No Range	ppb	0	60	By-produc water chlo
Chlorine (asCl2)	N	2013	0.40	0.30 to 0.50	ppm	4	4	Water Add to control
Volatil	e Organ	ic Cont	aminant	:s				
76. Xylenes	И	2012*	0.555	No Range	ppb	10	10	Discharge petroleum discharge chemical f

<sup>\*</sup>Most Recent Sample. No Sample Required 2013

IMPORTANT INFORMATION MONITORING REQUIREMENTS PSW # 120028

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. For the sample period 06/30/2013 we did not monitor for Volatile Organic Compounds (VOCs) and therefore cannot be sure of the quality of our drinking water during that time. We have since taken the required samples and results show we are meeting drinking water standards.

PWS # 120016-#2 #3 #4 - Sandy Basin & Hwy 514 Wells ~ Lower Wilcox Aquifer
Lower susceptibility to contamination

TEST RESULTS Likely So Range of Detects or # of Samples Exceeding MCL/ACL MCLG MCL Date Collected Level Detected Contaminant Contamir Measurement Inorganic Contaminants Discharg wastes; d metal ref No Range .010377 ppm 2011\* 2011\* 10. Barium #2 .0085 #3 #4 2011\* erosion o deposits 0.2 0.2 0.1 ppm 1.3 2011\* 14. Copper # 4 plumbin erosion c deposits; wood pre Erosion ppm 4 2011\* .1 .1 .1 16. Fluoride #2 deposits: which pt 2011\* 2011\* teeth; di: fertilizer factories 0 Corrosic ppb 2 2 2 2011\* 17. Lead #4 plumbin erosion deposits

73. TTHM (Total Trihalomethanes)	N	2011*	1.29	No Range	ppb	0	80 By-prod water ch
81. HAA5	N	2011*	2.0	No Range	ppb	0	60 By-prod water ch
Chlorine (asCl2)	N	2013	0.50	0.30 to 0.60	ppm	4	4 Water A to contr

\*Most Recent Sample. No Sample Required 2013

#### PWS # 120005 Harmony Well #2 Sparta Sand Aquifer Moderate susceptibility to contamination Harmony Well #3 Lower Wilcox Aquifer

				TEST	RESULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely So Contamir
Inorganic C	ontamin	ants						· · · · ·
10. Barium #3	N	2011*	.0063	No Range	ppm	2	Ź	discharg refineries deposits
14. Copper	N	2011*	0.1	0	ppm	13	AL=1.3	Corrosion plumbing natural de from woo
16. Fluoride #3 #2	N	2011*	.205	0	ppm	4	4	Erosion of water add promotes discharge aluminur
17. Lead	N	2011*	1	0	ppb	0	AL=15	Corrosio plumbing natural d
Disinfectan	t Ry Pro	ducts						
73. TTHM [Total	N	2011*	1.29	None	ppb	0	80	chlorinat
trihalomethanes] 81, HAA5	N	2011*	2	No Range	ppb	0	60	By-produ chlorinat
Chlorine(asCl2)	N	2013	0.40	0.30 to 0.60	ppm	4	4	Water A control r
Volatile Or	ganic Co	ontamin	ants					
76. Xylenes #3	N	2013	× 1.14	No Range	ppb	10	10	Discharg factories chemica

\*Most Recent Sample. No Sample Required 2013

IMPORTANT INFORMATION MONITORING REQUIREMENTS PSW # 120005

We are required to monitor your drinking water for specific contaminants on a regula basis. Results of regular monitoring are an indicator of whether or not our drinking wate meets health standards. For the sample period 06/30/2013 we did not monitor for Volatile Organic Compounds (VOCs) and therefore cannot be sure of the quality of our drinking water during that time. We have since taken the required samples and results show w are meeting drinking water standards.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man mathematical transfer of the substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including the substances can be microbes, inorganic or organic chemicals and radioactive substances. bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of con does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children drinking water is primarily from materials and components associated with service lines and home plumbing. Harmony \Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in p components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flt your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take t have your water tested.

Some People may be more vulnerable to contaminants in drinking water than the general population. Immuno comprom persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people v HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to risk of infection by cryptosporidium and other microbiological contaminants are available from Safe Drinking Water Ho (800-426-4791).

We at Harmony Water Association work hard to provide quality water at every tap. We ask that all customers help us pr

WHER SUPPLE

### PROOF OF PUBLICATION 2014 JUL 16 PM I2: 51

STATE OF MISSISSIPPI COUNTY OF CLARKE

Invoice #	

Before me, the undersigned authority in and for said county of Clarke, legal clerk of The Clarke County Tribune, a newspaper published in the City of Quitman, County of Clarke, Mississippi, being duly sworn says that the notice, a copy of which is hereto attached, was published in said newspaper as follows, to-wit:

	/	, (
Dated	12 20 14	
Dated	20	The Clarke County Triburge
Dated	20	By und Bayley
Dated	20	8
		Sworn to and subscribed before me, the said Notary Public as aforesaid, do certify that the newspaper containing said notice
Printer's Fee:	: \$	Aforesaid, do certify that the newspaper containing said notice to the copy here.  As trached and that the same is correct and truly made.  A Stray pueue.  A Stryen under my hand and the seal of said county, this the
Proof of Pub:	\$	10 No. 62762  My Commission Explies  Aday of June 2014.
TOTAL:	\$	Mana 28. 2017 Notary Public

ACCOUNT NO. 061090405 SERVICE ADDRESS 3863 HIGHY	06/16	07/16 ORTH	RETURN THIS STUB WITH I HARMONY WATER A P.O. BOX 342 • OUTSIAN, M (601) 776-2593	PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID PERMIT NO. 2 CUSTMAN, MS	
2321	1746	575	PAY NET AMOUNT ON OR BEFORE DUE DATE NET AMOUNT	08/15/2014 SAVETHIS	PAY BROSS AMOUNT AFTER DUE DATE GROSS AMOUNT
CHARG	E FOR SERVICE	s	48.25	4.83	53.08
WAT NET DUE >: SAVE THIS GROSS DUE	>> 4 >>	8.25 8.25 4.83 33.08	UPON REQUEST	SHOP 145 NORTH	RECEIVED WATER SUPPLY

Ryan

Continued from Page 4

Continued from P

#### ANNUAL DRINKING WATER QUALITY REPORT JUNE 2014 HARMONY WATER ASSOCIATION, INC.

We're very pleased to provide view with this year.

Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered by you over the past year. Our goal is and away, the post of the provide supply to the complete of the post of the

T.   Companies   Continues	иапполу	water A	ssociation			018 Elwood	d-Lower V	/Elcox	Kapifer	ater fréatment or einer	by flushing you				sandalar.	10000000		one reconstruction	erioni Antonio del Company
Total   Tota	Lower susceptibility to contamination TEST RESULTS														TEST	RESULI	3	хуништу со контажи	21196
Internal   The property   The prop	Contaminant	Vial. Y	BY Code	iel D	Lettel exercise	6 of Samules	Usia Mesoureses	MCCG	MCL		Contaminant	Vistalio	Dete Collected	Level Descriped	# bf Samples	Unit Montrects	MCLO	MCL	Likely Source of Contemination
10	Inorganic	Contai	ninants			MCLAGI	. I.	1	L		Inorganie C	ontami	nants					1	100
Copyright	lo:Barlum			.01	10512	No Range	Ppm	7	1	2 Discharge of drilling	10. Barnan	\ *	20)]*	01443	No Range	ppea			2 Discharge of drilling
Copyright   1										metal reflarmer									ciettal refinaries
A Florida S. S. SELLY	4, Copper	N	20114		01					deposits	14 Copper	N	2011*	0.1	6	pom	13	<u> </u>	deposits
Product   10   10   10   10   10   10   10   1							I Paris		,	olumbing systems				1					plumbing systems
Product   St.										decesses leaching from	16 Electric	<u> </u>	1						deposits; leaching from wood preservatives
Total N SQL   1 2 7 79 5 Mark   1 2 7 79 10 10 10 10 10 10 10 10 10 10 10 10 10	6 Pluoride	N	2011*		135	•	Ppm	4		4 Erosion of against			20117	1"		(Ata	1		
Part										which cromoses emply			1						which precious strong teeth, discharge from
Part										frenilizer and altimizate	17. Lest		20119	1					factories
Delinfection by Product  Delinfection by Produ	7 Lead	N	2011*		•	. 0	Ppb	0		LI-15 Corretion of household plumbing systems.			1			laso.		^	
THE PROPERTY OF THE PROPERTY O										(etosson of natural)	Disinfectant	Ry Pro	duct	1		1	<u> </u>	l	disposits
Miles   Mile	3.TDO	пвур	roducts 2011	- 11	29 Ta	No Range	I Poly		•		173 TTHM (Total	TN	2012*	1 4	No Range	ppb	7 0		10 By-product of drighting
West open   19   201   10   10   10   10   10   10   1	ribsiom#Bases1						17								are Arten				Vinter chloringson
Ministration   Mini	1. RAAS	1 *	2011	2.1	, ,	Na Range	Ppb	•		50 By-product of drinking	SI WAAS	N	20128	10					
*** Part Name Employ 10. Target Project (EI)**  **Part Name Employ 10. Target Project (EI)**  **Part Name Employ 10. Target Project Sparse Sand Applifer**  **Harmony Field of Sparse Sand Applifer**  **Harmony Field of Lower Pillics Applifer**  **TEST PESCON'S Constant Part Name Employ 10. Target Pillics Applifer**  **Part Name Employ 10. Target Pillics Applifer**  **TEST PESCON'S Constant Pillics Organic Constantination of Cons	blorino (asCl2)	N.	2013	0	90 a	0.40 to 0.60	Pom			SANTE PLUMBER SERVICE STATE .					ivo runge	PP	1.		60 By-product of drugging water colormation
Place of the product of the product of contamination of the pr										to control microses	Chlorine (41C12)	N	2013	0.40	0 30 to 0 50	Sem			4 Water Additives; used
Moderate susceptibility to constraintation  Harmon 9 1 1 South Section 1 Sec		'Mset					100				Valette			ليحيا					to control androses
TEST ENGLY  TEST PROBLES  TEST			Pi	VS # 120 Mor	0005 H derata	larmony W	e##2 Spart	Sand	Agaifer		76 Xyleses	Organ	2012'		No Races	Tock	1 10		In I Washing Co.
TEXT MENULY TO Construction  With Construction Construction Construction  Organic Composition of Security Construction Construction Construction  Organic Conformation and Construction Con				Ha	гтону	Well #3 L.	mer Wilcox	Aquife	,	100									petroitum (actories discharge fines
Organic Contaminants    Property   Property						TEST RI	ESULTS					*Nout Rec	na) Sample, No	Sample Requ	red 1813	l			chemical factories
Organic Contaminants    Property   Property	e) Arricant	YAN	Collected Collected	Cetecte		tange of Plosty or 34	UNA MO	ra	MCL	Littly Source of Contrastance	DM	PORTA	VT INFOR	MATION	MONITOR	JNG RE	QUIREM	ENTS PSW # 12	0028
The state of the s					X0	COMMAN.					DIL.	iis. Kesu	Rs of regu	ar monito	CIDO ATA AD	Orlication i	of whether	or not stor deint	data mater
Copy   1   10   11   12   13   14   15   15   15   15   15   15   15	organic C			1 0051	False		Save to 17	.,											
Provide   Prov						- I.		1		discharge from metal	Wa	ter annib	g that time	. We have	since take	cannot bi I ike req	sure of t uired sam	ne quality of ou wies and results	r drinking Show we
Provide 7   3   2011   55   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2010   5   2   2   2   2   2   2   2   2   2	Copper	N	2011*	0.1		0 pp	ns .	3	ALC: 1	deposite	are	тесния	arınking	water stan	daras.				
Transfer			Chambing wishing miles of								PWS # 120016-42 83 84 : Sandy Basin & Hoy 514 Wells - Lower Wikot Aquiter								
And the property of the proper	Phonido #3	N	N 2011 205 0 ppm 4 4 Brosso of parent demonstra							from wood preservatives Protein of natural dennete	TEST RESULTS								
Second Service   Second Second Service   Second Second Service   Second				l 🔅						mater additions which promotes strong tech;	Contaminant	Violation V/N	Date CoScered	Level Deserted	Range of Detects or	Unit Meanstroom	MCLO	MCL	Likely Source of
Statistic Organic Contaminants  Statistic Organic Contaminants	Lead	N.	2011*	4	-	0 00				Signioum factories					Fol Sattpley Exceeding				Comunity
Silentification (Part 1977)   100									AL-13	clearbing systems, ecosise of	Inorganic Co	ntamin		1	MUDALE.		السناء		A.
Statistics of the state of the	sinfectant			1100									7011* 2011*	5085	do Range	Press	2		2 Discharge of criding
1.   1.   1.   1.   1.   1.   1.   1.	tal elomethaneri					"  "			10	Dy-product of delaking water channelies			2011*	<b>∞</b> ₩					metal refineries:
Section   Part	HAAS	H	2011*	2	No R	tange pot		0	60	By-product of draking weer	14: Copper #4	H	2011*	02	0	pom	13	AL	depotits
Statilis Organic Cost aminants    Statilis Organic Cost aminants	erise(asCl2)	W	2015	0.40	0.30 2	0 0.60 pps	a	4	100000000000000000000000000000000000000					0.1					plumbing systems; erosoo of natural
Special Contaminants										cooted ascendes	16 Phosela etc		33116						Wood preservatives
Ministry	olatile Org	anic Co	ntamina	nis			L				13		2011*			(Sea	1		denotify water address.
MFORTANT INFORMATION/MONITORING REQUIREMENTS PSV # 12000. We are required in monitoring round influenced in proceedings where they reported including very mid-influenced in proceedings and the required influenced in page 100 mid-influenced in page 100 mid-influenc	Xylenes #3	W			No Ra	nute bbp		10	10	Discharge from provious									took, discharge from
Set Of InvI   InvI (PARA/TOM MOTORNO) REQUIREMENTS F8V # 120005  Both   InvI		*Mac Recei	i Sample, Na 3	ample Raq	wired 202	, 1.		٠		chemical factories	17. Load &4	-,-	2017#		- A <sup>1</sup>		1	<del></del>	fectorias
besix. Results of regular mentioning are an edificator of whether or not are detailed, the results of regular mentioning are an edificator of whether or not are detailed, the results standards. For the standards for the standard		MPORT	ANT INFO	RMATI	ON M	ONITORI	IO REQUI	EMBN	TS PSW # 1200	05				2		***		AL.	phytobiog systems
Organic Compounds (VOCs) and therefore assess the steps of the captured templife and retails show we are meeting drinking water standards.  13 TITM COMP  13 TITM COMP  14 NA Range 195 0 0 Dynamics of the captured templife and retails show we are meeting drinking water standards.  14 NA STANDARD 15 0 No Range 195 0 0 Proposed CREATER 15 No Range 195 0 0 Proposed CREATER 15 No RANGE 15 NO	20.5019300000	oasis. Re	suits of reg	utar mo	nnonn	R are an inc	ficator of wh	Ather or	not our deinbing	tura fida	Disinfectant l	ly Prod	nek						deponts
ware running that that, it is a sea frace false the required samples and retails show we are meeting drinking unter standards.  This standards are meeting unter standards are meeting unter standards.  This standards are meeting unter standards are meeting unter standards.  This standards are meeting unter standards are meeting unter standards.  This st		organic (	ompounds	(VOCs	) and t	herefore ca	unot be sure	of the	doality of our d	novino									
11							the required	sample	s and results st	dio see	Tribalomethazea)	N	1011s	1.29	to Reagn	N <sub>2</sub>	0		80 By-product of drinking water chlorination
Charan (MC2) N Shi S No Shi o No Shi o No Shi o No N											BI. HAAS	N	20113	20	o Range	296	1 8		60 By-product of detaking
s Wife Collection											Chlorine (NIC)21		2012						Protes chitringsion
WHI PARTURE AT THE ACT OF THE ACT													WII.	V.N. (	30 ft (160	ppro	1 1		4 Waltr Additives; used to cours interotes
												Mail Reces	Sample N- C		4900				